



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/025,350	12/18/2001	Michael N. Pollak	28758.5	4785

27683 7590 10/05/2004
HAYNES AND BOONE, LLP
901 MAIN STREET, SUITE 3100
DALLAS, TX 75202

EXAMINER
HOLLERAN, ANNE L

ART UNIT	PAPER NUMBER
1642	

DATE MAILED: 10/05/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/025,350	Applicant(s) POLLAK ET AL.	
	Examiner Anne Holleran	Art Unit 1642	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 December 2000.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 21-27 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 21-27 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. The preliminary amendment file 12/18/2001 is acknowledged. Claims 21-27 are pending and examined on the merits.

Claim Rejections - 35 USC § 112

2. Claims 21-27 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for methods of predicting an increase risk for prostate cancer where a measure concentration of IGF-I is compared to a reference level of 100 ng/ml, does not reasonably provide enablement for the full scope of the claimed methods, wherein any concentration above a reference level is deemed to indicate an increased risk for prostate cancer. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims.

Factors to be considered in determining whether undue experimentation would be required to practice the full scope of the claimed inventions are: 1) quantity of experimentation necessary; 2) the amount of direction or guidance presented in the specification; 3) the presence or absence of working examples; 4) the nature of the invention; 5) the state of the prior art; 6) the relative skill of those in the art; 7) the predictability or unpredictability of the art; and 8) the breadth of the claims. See *In re Wands*, 858 F.2d at 737, 8 USPQ2d at 1404 (Fed. Cir. 1988).

Art Unit: 1642

The specification confines its teachings to methods of predicting an increase risk for prostate cancer comprising comparing the concentration of IGF-I to a reference level wherein an elevation of at least 100 ng/ml above the reference level indicates a doubling of the risk for prostate cancer.

The claims, on the other hand are drawn to methods where even a small increase in IGF-I concentration above a reference indicates an increased risk for prostate cancer. It is not clear from the specification what are significant elevations and how do elevations less than 100ng/ml correlate with any risk for prostate cancer.

In view of the fact that the art of prognosticating cancer cannot be predicted from theories but must be established by data, and in view of the fact that the claimed inventions are broader in scope, so as to encompass methods where any elevation above a reference level is correlated with any increased risk for prostate cancer, it would require undue experimentation on the part of the skilled practitioner to practice the full scope of the claimed inventions.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

3. Claims 21-27 are rejected under 35 U.S.C. 102(a) as being anticipated by Mantzouros (Mantzouros et al, British Journal of Cancer 76(9): 1115-1118, 1997).

Art Unit: 1642

Mantzouros teaches a method of predicting risk of prostate cancer where concentrations of IGF-I are measured in healthy individuals and where IGF-I concentrations are measured in test individuals (happen to have either prostate cancer or BPH), and where a risk of prostate cancer is determined by comparing IGF-I levels to a reference. Mantzouros is able to determine that an increase in 60 ng/ml leads to a 91 percent increase in risk of prostate cancer. Thus, Mantzouros teaches methods that are the same as that claimed.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

4. Claims 21-27 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-6 of U.S. Patent No. 6,410,335. Although the conflicting claims are not identical, they are not patentably distinct from each other because the methods of US 6,410,335 appear to be a species of the more broadly claimed instant inventions.

Art Unit: 1642

Conclusion

No claim is allowed.

Any inquiry concerning this communication or earlier communications from the Office should be directed to Anne Holleran, Ph.D. whose telephone number is (571) 272-0833. Examiner Holleran can normally be reached Monday through Friday, 9:30 am to 3:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Siew, can be reached at (571) 272-0787.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist at telephone number (703) 571-1600.

Anne L. Holleran
Patent Examiner
October 1, 2004


CHRISTINA CHAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600